

Artikel Nr.: 862123

Netzgerät, LONG-FLAT, CV, LT-45-12












IP20 CE

Elektrische Daten

Betriebsart	spannungskonstant	Eingangsspannung	220-240V AC/50-60Hz
Leistung	45,00 W	Leistungsfaktor	0,95
Ausgangsspannung	12V DC	Anschlußmöglichkeit	Klemme
Ausgangsstrom	0-3750 mA		


Produkteigenschaften

 Schutzklasse II	 Überspannungsschutz
SELV Schutzkleinspannung	 Lampenbetriebsgerät 110
 Kurzschlußfest	 Möbeleinbau geeignet
 Überlastschutz	ErP Standby-Stromverbrauch < 0,5 W
 Übertemperaturschutz	LVD Sicherheit nach EN 61347
 Sicherheitstrafo	EMC Funkentstörung + Störfestigkeit nach EN 55015 + EN 61547
 nicht dimmbar	EMC Netzstromoberwellen + Flicker nach EN 61000-3-2 + EN 61000-3-3

Schwarze Felder sind zutreffend / graue Felder sind nicht zutreffend

Artikel Nr.: 862123

Netzgerät, LONG-FLAT, CV, LT-45-12

**Abmessungen und Gewicht****Grenzwerte**

Länge	251,00 mm	Betriebstemperatur	-20°C - +45°C
Breite	30,00 mm	Gehäusetemperatur	90,00
Höhe	16,00 mm		
Durchmesser	0,00 mm		
Gewicht	124 g		

Article No.: 862123

Power supply unit, LONG-FLAT, CV, LT-45-12












IP20 CE

Electrical Characteristics

Operating mode	constant voltage	Input voltage	220-240V AC/50-60Hz
Power	45,00 W	Power factor	0,95
Output voltage	12V DC	Connection possibility	clamp
Output current	0-3750 mA		


Product features

	Protection class II		Overvoltage protection
SELV	Low voltage protection		Lamp control gear 110
	Short circuit protection		Suitable for furniture installation
	Overload protection	ErP	Standby-power consumption < 0,5 W
	Overheating protection	LVD	Safety according to EN 61347
	Safety transformer	EMC	Interference suppression + immunity according to EN 55015 + EN 61547
	not dimmable	EMC	Mains harmonics + flicker according to EN 61000-3-2 + EN 61000-3-3

Black fields are applicable / gray fields are not applicable

Article No.: 862123

Power supply unit, LONG-FLAT, CV, LT-45-12

**Dimensions & Weight****Absolute maximum ratings**

Length	251,00 mm	Operating temperature	-20°C - +45°C
Width	30,00 mm	Case temperature	90,00
Height	16,00 mm		
Diameter	0,00 mm		
Product weight	124 g		